


EN



MANUFACTURER'S DECLARATION OF CONFORMITY



FOR

Product identification:


Model/type: Refer to model listing Initial year affixing CE Mark: 2020
 Category (description): Fire detection and fire alarm systems
 Brand: Autronica

Manufacturer: Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim
 Norway

EU Representative: --

Concerning	A sample of the product has been tested by	Test report reference	Applied standards
EMC	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutoGuard_rev2	EN 61000-6-3:2007+A1:2011+AC:2012 EN 50130-4:2011
CPR	DBI Certification A/S, Jernholmen 12, 2650 Hvidovre, Denmark	Certificate: 2531-CPR-CSP11291	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2001+A1:2002+A2:2006 EN 54-23:2010
MED	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: MEDB00006DJ MEDB0000646 MEDD0000141	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2014+A1:2019 EN 54-23:2010 IEC 60092-504:2016 IEC 60533:2015
ATEX	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: DNV 21ATEX14779X for EXIA models DNV 22ATEX13772X for EXIC models	EN IEC 60079-0:2018 EN 60079-11:2012
RoHS	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutoGuard_rev2	EN IEC 63000:2018

Restrictions on putting into service / requirements for authorization of use

Not Applicable None 

Means of conformity


We declare under our sole responsibility that this product is in conformity with Directives: 93/68/EEC (Marking), 2014/30/EU (EMC), 305/2011 (CPR), 2014/90/EU (MED), 2014/34/EU (ATEX) and 2011/65/EU (RoHS) amended by 2015/863 and 2017/2102 and complies with the essential requirements and all other relevant provisions of the Directives based on test results using harmonized standards in accordance with the Directives mentioned.

Signature of representative / manufacturer:



Tomasz Dowgiałło, Compliance Leader
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

ATEX:

EXIA models:  II 1 G Ex ia IIC T5 Ga Tamb -30°C ≤ Ta ≤ +70°C

EXIC models:  II 3 G Ex ic IIC T5 Gc Tamb -30°C ≤ Ta ≤ +70°C

Model listing (List of all product variants or models for which this declaration is valid)

Model	Description
V-430 series	AutroGuard® Multicriteria protector
V-430-S series	AutroGuard® Multicriteria protector with Sounder
V-430-VADR series	AutroGuard® Multicriteria protector with Red VAD
V-430-VADW series	AutroGuard® Multicriteria protector with White VAD
V-430-S-VADR series	AutroGuard® Multicriteria protector with Sounder and Red VAD
V-430-S-VADW series	AutroGuard® Multicriteria protector with Sounder and White VAD
V-530 series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection
V-530-EXIA series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 0, 1 and 2
V-530-EXIC series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 2
V-530-S-VADW series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection, Sounder and White VAD
<p>V-430 series and V-530 series detectors are configurable smoke/heat detectors with optional extra features. Full model codes of the series are as follow:</p> <p>V-430-xxxxxx-yy/ww/zz where:</p> <ul style="list-style-type: none"> xxxxxx - Extra feature/alarm method (Blank = none, S, VADW, VADR, S-VADR, S-VADW); -yy - Color (Blank = White, BK = Black, CC = Custom color); /ww - Extra features (Blank = None, CD = Cover Detection & Self Verify); /zz - represents various certifications; <p>V-530-xxxxxx-yy/ww where:</p> <ul style="list-style-type: none"> xxxxxx – Additional functions/alarm types (Blank = none, EXIA, EXIC, S-VADW); -yy - Color (Blank = White); /ww - Extra features (Blank = None, HS = Extra High Sensitivity); <p>* Note that when the HS = Extra High Sensitivity setting is used, the product is not compliant with EN 54-7:2018</p>	

Signature of representative / manufacturer:




Tomasz Dowgiało, Compliance Leader
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

CZ



PROHLÁŠENÍ VÝROBCE O SHODĚ

PRO



Identifikace produktu:

Model/typ: Viz Seznam modelů První rok přidělení označení CE: 2020

Kategorie (popis): Fire detection and fire alarm systems


Značka: Autronica

Výrobce: Autronica Fire & Security AS
Bromstadvegen 59,
NO-7483 Trondheim
Norway

Zástupce pro EU: --

Ve věci	Vzorek produktu byl testován společností	Reference protokolu o testování	Použití normy
EMC	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN 61000-6-3:2007+A1:2011+AC:2012 EN 50130-4:2011
CPR	DBI Certification A/S, Jernholmen 12, 2650 Hvidovre, Denmark	Certificate: 2531-CPR-CSP11291	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2001+A1:2002+A2:2006 EN 54-23:2010
MED	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: MEDB00006DJ MEDB0000646 MEDD0000141	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2014+A1:2019 EN 54-23:2010 IEC 60092-504:2016 IEC 60533:2015
ATEX	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: DNV 21ATEX14779X for EXIA models DNV 22ATEX13772X for EXIC models	EN IEC 60079-0:2018 EN 60079-11:2012
RoHS	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN IEC 63000:2018

Omezení pro uvádění do provozu / požadavky na povolení k používání

Nevztahuje se Žádné 

Způsob zajištění shody


Na vlastní odpovědnost prohlašujeme, že tento produkt splňuje požadavky následujících směrnic: 93/68/EEC (značení), 2014/30/EU (EMC), 305/2011 (CPR), 2014/34/EU (ATEX), 2014/90/EU (MED), a 2011/65/EU (RoHS), ve znění 2015/863 a 2017/2102, a splňuje základní požadavky a všechna další příslušná ustanovení směrnic na základě výsledků testů při použití harmonizovaných norem v souladu s uvedenými směrnici.


Podpis zástupce/výrobce:



Tomasz Dowgiałło, vedoucí pro zajištění souladu
Autronica Fire & Security AS
Bromstadvegen 59,
NO-7483 Trondheim, Norway

ATEX:

EXIA models:  II 1 G Ex ia IIC T5 Ga Tamb -30°C ≤ Ta ≤ +70°C

EXIC models:  II 3 G Ex ic IIC T5 Gc Tamb -30°C ≤ Ta ≤ +70°C

Seznam modelů (seznam všech variant nebo modelů produktů, pro které je toto prohlášení platné):

Model	Popis
V-430 series	AutroGuard® Multicriteria protector
V-430-S series	AutroGuard® Multicriteria protector with Sounder
V-430-VADR series	AutroGuard® Multicriteria protector with Red VAD
V-430-VADW series	AutroGuard® Multicriteria protector with White VAD
V-430-S-VADR series	AutroGuard® Multicriteria protector with Sounder and Red VAD
V-430-S-VADW series	AutroGuard® Multicriteria protector with Sounder and White VAD
V-530 series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection
V-530-EXIA series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 0, 1 and 2
V-530-EXIC series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 2
V-530-S-VADW series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection, Sounder and White VAD

V-430 series and V-530 series detectors are configurable smoke/heat detectors with optional extra features. Full model codes of the series are as follow:

V-430-xxxxxx-yy/ww/zz where:

xxxxxx - Extra feature/alarm method (Blank = none, S, VADW, VADR, S-VADR, S-VADW);
 -yy - Color (Blank = White, BK = Black, CC = Custom color);
 /ww - Extra features (Blank = None, CD = Cover Detection & Self Verify);
 /zz - represents various certifications;

V-530-xxxxxx-yy/ww where:

xxxxxx – Additional functions/alarm types (Blank = none, EXIA, EXIC, S-VADW);
 -yy - Color (Blank = White);
 /ww - Extra features (Blank = None, HS = Extra High Sensitivity);

* Note that when the HS = Extra High Sensitivity setting is used, the product is not compliant with EN 54-7:2018

Podpis zástupce/výrobce:




Tomasz Dowgiałło, vedoucí pro zajištění souladu
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

DA



PRODUCENTENS OVERENSSTEMMELSESERKLÆRING



FOR

Produktidentifikation:


Model/type: Se modelliste Første år med CE-mærke: 2020
 Kategori (beskrivelse): Fire detection and fire alarm systems
 Mærke: Autronica

Producent: Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim
 Norway

EU-repræsentant: --

Angående	En prøve af produktet er blevet testet af:	Testrapportreference	Anvendte standarder
EMC	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN 61000-6-3:2007+A1:2011+AC:2012 EN 50130-4:2011
CPR	DBI Certification A/S, Jernholmen 12, 2650 Hvidovre, Denmark	Certificate: 2531-CPR-CSP11291	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2001+A1:2002+A2:2006 EN 54-23:2010
MED	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: MEDB00006DJ MEDB0000646 MEDD0000141	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2014+A1:2019 EN 54-23:2010 IEC 60092-504:2016 IEC 60533:2015
ATEX	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: DNV 21ATEX14779X for EXIA models DNV 22ATEX13772X for EXIC models	EN IEC 60079-0:2018 EN 60079-11:2012
RoHS	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN IEC 63000:2018

Begrænsninger vedrørende ibrugtagning/krav til godkendelse af brug

Ikke relevant Ingen 

Overensstemmelsesattestation

Vi erklærer under vores eneansvar, at dette produkt er i overensstemmelse med direktiverne: 93/68/EØF (mærkning), 2014/30/EU (EMC), 305/2011 (CPR), 2014/90/EU (MED), 2014/34/EU (ATEX), og 2011/65/EU (RoHS), ændret ved 2015/863 og 2017/2102, og overholder de væsentlige krav og alle andre bestemmelser i direktiverne baseret på testresultater med brug af harmoniserede standarder i henhold til de nævnte direktiver.

Repræsentantens/producentens underskrift:



Tomasz Dowgiałto, Compliance Leader
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

ATEX:

EXIA
models:  II 1 G Ex ia IIC T5 Ga Tamb -30°C ≤ Ta ≤ +70°C

EXIC
models:  II 3 G Ex ic IIC T5 Gc Tamb -30°C ≤ Ta ≤ +70°C

Modelliste (liste over alle produktvarianter eller -modeller, som denne erklæring gælder for)

Model	Beskrivelse
V-430 series	AutroGuard® Multicriteria protector
V-430-S series	AutroGuard® Multicriteria protector with Sounder
V-430-VADR series	AutroGuard® Multicriteria protector with Red VAD
V-430-VADW series	AutroGuard® Multicriteria protector with White VAD
V-430-S-VADR series	AutroGuard® Multicriteria protector with Sounder and Red VAD
V-430-S-VADW series	AutroGuard® Multicriteria protector with Sounder and White VAD
V-530 series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection
V-530-EXIA series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 0, 1 and 2
V-530-EXIC series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 2
V-530-S-VADW series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection, Sounder and White VAD

V-430 series and V-530 series detectors are configurable smoke/heat detectors with optional extra features. Full model codes of the series are as follow:

V-430-xxxxxx-yy/ww/zz where:

xxxxxx - Extra feature/alarm method (Blank = none, S, VADW, VADR, S-VADR, S-VADW);

-yy - Color (Blank = White, BK = Black, CC = Custom color);

/ww - Extra features (Blank = None, CD = Cover Detection & Self Verify);

/zz - represents various certifications;

V-530-xxxxxx-yy/ww where:

xxxxxx – Additional functions/alarm types (Blank = none, EXIA, EXIC, S-VADW);

-yy - Color (Blank = White);

/ww - Extra features (Blank = None, HS = Extra High Sensitivity);

* Note that when the HS = Extra High Sensitivity setting is used, the product is not compliant with EN 54-7:2018

Repræsentantens/producentens underskrift:




Tomasz Dowgiałło, Compliance Leader
Autronica Fire & Security AS
Bromstadvegen 59,
NO-7483 Trondheim, Norway

DE



KONFORMITÄTSERKLÄRUNG DES HERSTELLERS



FÜR

Produktbezeichnung:

Modell/Typ: Siehe Modellauflistung Erste Anbringung der CE-Kennzeichnung im Jahr: 2020

Kategorie (Beschreibung): Fire detection and fire alarm systems

Marke: Autronica

Hersteller: Autronica Fire & Security AS
Bromstadvegen 59,
NO-7483 Trondheim
Norway

EU-Bevollmächtigter: --

Betr.	Eine Stichprobenprüfung des Produkts wurde durchgeführt von	Bezugnahme auf Prüfbericht	Angewandte Normen
EMC	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN 61000-6-3:2007+A1:2011+AC:2012 EN 50130-4:2011
CPR	DBI Certification A/S, Jernholmen 12, 2650 Hvidovre, Denmark	Certificate: 2531-CPR-CSP11291	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2001+A1:2002+A2:2006 EN 54-23:2010
MED	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: MEDB00006DJ MEDB0000646 MEDD0000141	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2014+A1:2019 EN 54-23:2010 IEC 60092-504:2016 IEC 60533:2015
ATEX	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: DNV 21ATEX14779X for EXIA models DNV 22ATEX13772X for EXIC models	EN IEC 60079-0:2018 EN 60079-11:2012
RoHS	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN IEC 63000:2018

Beschränkungen der Inbetriebnahme/Anforderungen für die Nutzungsgenehmigung

Nicht zutreffend Keine 

Konformitätsnachweis

Wir erklären in alleiniger Verantwortung, dass das Produkt folgenden Richtlinien entspricht: 93/68/EWG (Kennzeichnung), 2014/30/EU (EMC), 305/2011 (CPR), 2014/90/EU (MED), 2014/34/EU (ATEX), sowie 2011/65/EU (RoHS), ergänzt durch 2015/863 und 2017/2102. Weiterhin entspricht das Produkt allen grundlegenden Anforderungen und den anderen relevanten Bestimmungen der Richtlinien gemäß der Prüfergebnisse aufgrund harmonisierter Normen in Übereinstimmung mit den hier aufgeführten Richtlinien.

Signatur des Bevollmächtigten/Herstellers:



Tomasz Dowgiałło, Compliance Leader
Autronica Fire & Security AS
Bromstadvegen 59,
NO-7483 Trondheim, Norway

ATEX:

EXIA models:  II 1 G Ex ia IIC T5 Ga Tamb -30°C ≤ Ta ≤ +70°C

EXIC models:  II 3 G Ex ic IIC T5 Gc Tamb -30°C ≤ Ta ≤ +70°C

Modellaufistung (Liste sämtlicher Produktvarianten oder Modelle, für die diese Erklärung gilt)

Modell	Beschreibung
V-430 series	AutroGuard® Multicriteria protector
V-430-S series	AutroGuard® Multicriteria protector with Sounder
V-430-VADR series	AutroGuard® Multicriteria protector with Red VAD
V-430-VADW series	AutroGuard® Multicriteria protector with White VAD
V-430-S-VADR series	AutroGuard® Multicriteria protector with Sounder and Red VAD
V-430-S-VADW series	AutroGuard® Multicriteria protector with Sounder and White VAD
V-530 series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection
V-530-EXIA series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 0, 1 and 2
V-530-EXIC series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 2
V-530-S-VADW series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection, Sounder and White VAD
<p>V-430 series and V-530 series detectors are configurable smoke/heat detectors with optional extra features. Full model codes of the series are as follow:</p> <p>V-430-xxxxx-yy/ww/zz where: xxxxxx - Extra feature/alarm method (Blank = none, S, VADW, VADR, S-VADR, S-VADW); -yy - Color (Blank = White, BK = Black, CC = Custom color); /ww - Extra features (Blank = None, CD = Cover Detection & Self Verify); /zz - represents various certifications;</p> <p>V-530-xxxxx-yy/ww where: xxxxxx – Additional functions/alarm types (Blank = none, EXIA, EXIC, S-VADW); -yy - Color (Blank = White); /ww - Extra features (Blank = None, HS = Extra High Sensitivity);</p> <p>* Note that when the HS = Extra High Sensitivity setting is used, the product is not compliant with EN 54-7:2018</p>	

Signatur des Bevollmächtigten/Herstellers:




Tomasz Dowgiałło, Compliance Leader
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

EL



ΔΗΛΩΣΗ ΣΥΜΜΟΡΦΩΣΗΣ ΤΟΥ ΚΑΤΑΣΚΕΥΑΣΤΗ



ΓΙΑ

Στοιχεία προϊόντος:

Μοντέλο / Τύπος: Ανατρέξτε στη λίστα μοντέλων

Έτος πρώτης επίθεσης του
σήματος CE: 2020

Κατηγορία (περιγραφή): Fire detection and fire alarm systems

Επωνυμία: Autronica

Κατασκευαστής: Autronica Fire & Security AS
Bromstadvegen 59,
NO-7483 Trondheim
Norway

Αντιπρόσωπος στην ΕΕ: --

Πεδίο	Ένα δείγμα του προϊόντος έχει ελεγχθεί από:	Αρ. αναφοράς ελέγχου	Εφαρμοσμένα πρότυπα
EMC	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN 61000-6-3:2007+A1:2011+AC:2012 EN 50130-4:2011
CPR	DBI Certification A/S, Jernholmen 12, 2650 Hvidovre, Denmark	Certificate: 2531-CPR-CSP11291	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2001+A1:2002+A2:2006 EN 54-23:2010
MED	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: MEDB00006DJ MEDB0000646 MEDD0000141	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2014+A1:2019 EN 54-23:2010 IEC 60092-504:2016 IEC 60533:2015
ATEX	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: DNV 21ATEX14779X for EXIA models DNV 22ATEX13772X for EXIC models	EN IEC 60079-0:2018 EN 60079-11:2012
RoHS	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN IEC 63000:2018

Περιορισμοί λειτουργίας / απαιτήσεις για έγκριση χρήσης

Δεν ισχύει

Δεν υπάρχουν



Μέσα συμμόρφωσης

Δηλώνουμε, με δική μας ευθύνη, ότι αυτό το προϊόν συμμορφώνεται με την Οδηγία 93/68/ΕΟΚ (Σήμανση), 2014/30/ΕΕ (EMC), 305/2011 (CPR), 2014/90/ΕΥ (MED), 2014/34/ΕΥ (ATEX), και την Οδηγία 2011/65/ΕΕ (Περιορισμός της χρήσης ορισμένων επικίνδυνων ουσιών σε ηλεκτρικό και ηλεκτρονικό εξοπλισμό), όπως ισχύει τροποποιημένη από τις Οδηγίες 2015/863 και 2017/2102, και συμμορφώνεται με τις ουσιαστικές απαιτήσεις και όλες τις άλλες σχετικές διατάξεις των Οδηγιών με βάση τα αποτελέσματα των δοκιμών που έγιναν με τη χρήση εναρμονισμένων προτύπων, σύμφωνα με τις αναφερόμενες Οδηγίες.

Υπογραφή αντιπροσώπου / κατασκευαστή:



Tomasz Dowgiałło, Compliance Leader
Autronica Fire & Security AS
Bromstadvegen 59,
NO-7483 Trondheim, Norway

Τόπος: Γκντανσκ, Πολωνία

Ημερομηνία: 11 Οκτωβρίου 2023

Σελίδα 9 από 40

Αρ. εγγράφου: 60. 1005405 rev3

ATEX:

EXIA models:  II 1 G Ex ia IIC T5 Ga Tamb -30°C ≤ Ta ≤ +70°C

EXIC models:  II 3 G Ex ic IIC T5 Gc Tamb -30°C ≤ Ta ≤ +70°C

Λίστα μοντέλων (Λίστα με όλες τις εκδόσεις ή τα μοντέλα προϊόντων για τα οποία ισχύει αυτή η δήλωση)

Μοντέλο	Περιγραφή
V-430 series	AutroGuard® Multicriteria protector
V-430-S series	AutroGuard® Multicriteria protector with Sounder
V-430-VADR series	AutroGuard® Multicriteria protector with Red VAD
V-430-VADW series	AutroGuard® Multicriteria protector with White VAD
V-430-S-VADR series	AutroGuard® Multicriteria protector with Sounder and Red VAD
V-430-S-VADW series	AutroGuard® Multicriteria protector with Sounder and White VAD
V-530 series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection
V-530-EXIA series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 0, 1 and 2
V-530-EXIC series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 2
V-530-S-VADW series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection, Sounder and White VAD
<p>V-430 series and V-530 series detectors are configurable smoke/heat detectors with optional extra features. Full model codes of the series are as follow:</p> <p>V-430-xxxxx-yy/ww/zz where: xxxxxx - Extra feature/alarm method (Blank = none, S, VADW, VADR, S-VADR, S-VADW); -yy - Color (Blank = White, BK = Black, CC = Custom color); /ww - Extra features (Blank = None, CD = Cover Detection & Self Verify); /zz - represents various certifications;</p> <p>V-530-xxxxx-yy/ww where: xxxxxx – Additional functions/alarm types (Blank = none, EXIA, EXIC, S-VADW); -yy - Color (Blank = White); /ww - Extra features (Blank = None, HS = Extra High Sensitivity);</p> <p>* Note that when the HS = Extra High Sensitivity setting is used, the product is not compliant with EN 54-7:2018</p>	

Υπογραφή αντιπροσώπου / κατασκευαστή:




Tomasz Dowgiałło, Compliance Leader
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

ES



DECLARACIÓN DE CONFORMIDAD DEL FABRICANTE



PARA

Identificación del producto:

Tipo de modelo: Consulte la lista de modelos. Año inicial de la inclusión de la marca CE: 2020
 Categoría (descripción): Fire detection and fire alarm systems
 Marca: Autronica

Fabricante: Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim
 Norway

Representante europeo: --

En relación con	Responsable de la prueba de la muestra del producto	Informe de referencia de la prueba	Normas aplicadas
EMC	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN 61000-6-3:2007+A1:2011+AC:2012 EN 50130-4:2011
CPR	DBI Certification A/S, Jernholmen 12, 2650 Hvidovre, Denmark	Certificate: 2531-CPR-CSP11291	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2001+A1:2002+A2:2006 EN 54-23:2010
MED	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: MEDB00006DJ MEDB0000646 MEDD0000141	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2014+A1:2019 EN 54-23:2010 IEC 60092-504:2016 IEC 60533:2015
ATEX	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: DNV 21ATEX14779X for EXIA models DNV 22ATEX13772X for EXIC models	EN IEC 60079-0:2018 EN 60079-11:2012
RoHS	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN IEC 63000:2018

Restricciones de puesta en servicio / requisitos de autorización de uso

No aplicable Ninguna 

Medio de conformidad

Declaramos, bajo nuestra responsabilidad, que este producto se ha fabricado de acuerdo con la siguientes directivas: 93/68/CEE (marcado); 2014/30/EU (EMC), 305/2011 (CPR), 2014/90/EU (MED), 2014/34/EU (ATEX), y 2011/65/UE (RoHS), corregida por 2015/863 y 2017/2102, y cumple los requisitos básicos y todas las demás disposiciones pertinentes de las directivas según los resultados de las pruebas mediante normas armonizadas de acuerdo con las directivas mencionadas.

Firma del representante / fabricante:



Tomasz Dowgiałło, director de conformidad
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

ATEX:

EXIA models:  II 1 G Ex ia IIC T5 Ga Tamb -30°C ≤ Ta ≤ +70°C

EXIC models:  II 3 G Ex ic IIC T5 Gc Tamb -30°C ≤ Ta ≤ +70°C

Lista de modelos (lista de todos los modelos o las variantes de productos para los que esta declaración es válida)

Modelo	Descripción
V-430 series	AutroGuard® Multicriteria protector
V-430-S series	AutroGuard® Multicriteria protector with Sounder
V-430-VADR series	AutroGuard® Multicriteria protector with Red VAD
V-430-VADW series	AutroGuard® Multicriteria protector with White VAD
V-430-S-VADR series	AutroGuard® Multicriteria protector with Sounder and Red VAD
V-430-S-VADW series	AutroGuard® Multicriteria protector with Sounder and White VAD
V-530 series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection
V-530-EXIA series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 0, 1 and 2
V-530-EXIC series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 2
V-530-S-VADW series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection, Sounder and White VAD
<p>V-430 series and V-530 series detectors are configurable smoke/heat detectors with optional extra features. Full model codes of the series are as follow:</p> <p>V-430-xxxxx-yy/ww/zz where: xxxxx - Extra feature/alarm method (Blank = none, S, VADW, VADR, S-VADR, S-VADW); -yy - Color (Blank = White, BK = Black, CC = Custom color); /ww - Extra features (Blank = None, CD = Cover Detection & Self Verify); /zz - represents various certifications;</p> <p>V-530-xxxxx-yy/ww where: xxxxx – Additional functions/alarm types (Blank = none, EXIA, EXIC, S-VADW); -yy - Color (Blank = White); /ww - Extra features (Blank = None, HS = Extra High Sensitivity);</p> <p>* Note that when the HS = Extra High Sensitivity setting is used, the product is not compliant with EN 54-7:2018</p>	

Firma del representante / fabricante:




Tomasz Dowgiałło, director de conformidad
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

ET



TOOTJA VASTAVUSDEKLARATSIOON



Toote andmed:

Mudel/tüüp: Vaadake mudeli loendit Esimene CE-vastavusmärgise kinnitamise aasta: 2020
 Kategooria (kirjeldus): Fire detection and fire alarm systems
 Tootemark: Autronica

Tootja: Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim
 Norway

ELi esindaja: --

Mille suhtes	Toote proovi on katsetanud	Katsearuande viide	Rakendatud standardid
EMC	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN 61000-6-3:2007+A1:2011+AC:2012 EN 50130-4:2011
CPR	DBI Certification A/S, Jernholmen 12, 2650 Hvidovre, Denmark	Certificate: 2531-CPR-CSP11291	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2001+A1:2002+A2:2006 EN 54-23:2010
MED	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: MEDB00006DJ MEDB0000646 MEDD0000141	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2014+A1:2019 EN 54-23:2010 IEC 60092-504:2016 IEC 60533:2015
ATEX	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: DNV 21ATEX14779X for EXIA models DNV 22ATEX13772X for EXIC models	EN IEC 60079-0:2018 EN 60079-11:2012
RoHS	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN IEC 63000:2018

Kasutusele võtmise piirangud / kasutusloa nõuded

Ei ole kohaldatav Puudub 

Vastavusmeetmed

Kinnitame ainuisikuliselt, et see toode vastab direktiividele: 93/68/EMÜ (märgistus), 2014/30/EL (EMC), 305/2011 (CPR), 2014/90/EU (MED), 2014/34/EU (ATEX), ja 2011/65/EL (ohtlike ainete kasutamise piiramise direktiiv, RoHS), mida on muudetud direktiividega 2015/863 ja 2017/2102, ning vastab direktiivide põhinõuetele ja kõigile muudele asjakohastele sätetele, mis põhinevad katsetulemustel, kasutades nimetatud direktiividele vastavaid ühtlustatud standardeid.

ATEX:

EXIA models:  II 1 G Ex ia IIC T5 Ga Tamb -30°C ≤ Ta ≤ +70°C

Esindaja/tootja allkiri:



Tomasz Dowgiałło, vastavusjuht
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

EXIC
models:



II 3 G Ex ic IIC T5 Gc Tamb -30°C ≤ Ta ≤ +70°C

Mudelite loend (kõigi tootevariantide või -mudelite loetelu, mille puhul see deklaratsioon kehtib)

Mudel	Kirjeldus
V-430 series	AutroGuard® Multicriteria protector
V-430-S series	AutroGuard® Multicriteria protector with Sounder
V-430-VADR series	AutroGuard® Multicriteria protector with Red VAD
V-430-VADW series	AutroGuard® Multicriteria protector with White VAD
V-430-S-VADR series	AutroGuard® Multicriteria protector with Sounder and Red VAD
V-430-S-VADW series	AutroGuard® Multicriteria protector with Sounder and White VAD
V-530 series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection
V-530-EXIA series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 0, 1 and 2
V-530-EXIC series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 2
V-530-S-VADW series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection, Sounder and White VAD

V-430 series and V-530 series detectors are configurable smoke/heat detectors with optional extra features. Full model codes of the series are as follow:
V-430-xxxxxx-yy/ww/zz where:
 xxxxxx - Extra feature/alarm method (Blank = none, S, VADW, VADR, S-VADR, S-VADW);
 -yy - Color (Blank = White, BK = Black, CC = Custom color);
 /ww - Extra features (Blank = None, CD = Cover Detection & Self Verify);
 /zz - represents various certifications;
V-530-xxxxxx-yy/ww where:
 xxxxxx – Additional functions/alarm types (Blank = none, EXIA, EXIC, S-VADW);
 -yy - Color (Blank = White);
 /ww - Extra features (Blank = None, HS = Extra High Sensitivity);
 * Note that when the HS = Extra High Sensitivity setting is used, the product is not compliant with EN 54-7:2018

Esindaja/tootja allkiri:




Tomasz Dowgiałło, vastavusjuht
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

FI



VALMISTAJAN VAATIMUSTENMUKAISUUSVAKUUTUS



TUOTTELLE

Tuotetunnus:

Malli/tyyppi: Katso malliluettelo CE-merkinnän alkuperäinen kiinnitysvuosi: 2020
 Luokka (kuvaus): Fire detection and fire alarm systems
 Tuotemerkki: Autronica

Valmistaja: Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim
 Norway

Edustaja EU:ssa: --

Koskien direktiiviä	Tuotteen näytekappaleen on testannut	Testiraportti viite	Sovellettavat standardit
EMC	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN 61000-6-3:2007+A1:2011+AC:2012 EN 50130-4:2011
CPR	DBI Certification A/S, Jernholmen 12, 2650 Hvidovre, Denmark	Certificate: 2531-CPR-CSP11291	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2001+A1:2002+A2:2006 EN 54-23:2010
MED	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: MEDB00006DJ MEDB0000646 MEDD0000141	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2014+A1:2019 EN 54-23:2010 IEC 60092-504:2016 IEC 60533:2015
ATEX	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: DNV 21ATEX14779X for EXIA models DNV 22ATEX13772X for EXIC models	EN IEC 60079-0:2018 EN 60079-11:2012
RoHS	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN IEC 63000:2018

Käyttöönottoa koskevat rajoitukset / käytön sallimisen edellytykset

Ei sovellu

Ei ole



Vaatimustenmukaisuus

Vakuutamme yksinomaisella vastuullamme, että tämä tuote on seuraavien direktiivien mukainen: 93/68/EEC (merkintä), 2014/30/EU (EMC), 305/2011 (CPR), 2014/90/EU (MED), 2014/34/EU (ATEX), ja 2011/65/EU (RoHS) jota on muutettu direktiiveillä 2015/863 ja 2017/2102. Vakuutamme, että tuote on direktiivien olennaisten vaatimusten ja kaikkien muiden olennaisten määräysten mukainen perustuen tuloksiin testeistä, joissa on käytetty yhdenmukaistettuja standardeja mainittujen direktiivien mukaisesti.


Edustajan/valmistajan allekirjoitus:



Tomasz Dowgiałło, vaatimustenmukaisuusjohtaja
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

ATEX:

 EXIA models:  II 1 G Ex ia IIC T5 Ga Tamb -30°C ≤ Ta ≤ +70°C

 EXIC models:  II 3 G Ex ic IIC T5 Gc Tamb -30°C ≤ Ta ≤ +70°C

Malliluettelo (luettelo kaikista tuoteversioista tai -malleista, joita tämä vakuutus koskee)

Malli	Kuvaus
V-430 series	AutroGuard® Multicriteria protector
V-430-S series	AutroGuard® Multicriteria protector with Sounder
V-430-VADR series	AutroGuard® Multicriteria protector with Red VAD
V-430-VADW series	AutroGuard® Multicriteria protector with White VAD
V-430-S-VADR series	AutroGuard® Multicriteria protector with Sounder and Red VAD
V-430-S-VADW series	AutroGuard® Multicriteria protector with Sounder and White VAD
V-530 series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection
V-530-EXIA series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 0, 1 and 2
V-530-EXIC series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 2
V-530-S-VADW series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection, Sounder and White VAD
V-430 series and V-530 series detectors are configurable smoke/heat detectors with optional extra features. Full model codes of the series are as follow: V-430-xxxxxx-yy/ww/zz where: xxxxxx - Extra feature/alarm method (Blank = none, S, VADW, VADR, S-VADR, S-VADW); -yy - Color (Blank = White, BK = Black, CC = Custom color); /ww - Extra features (Blank = None, CD = Cover Detection & Self Verify); /zz - represents various certifications; V-530-xxxxxx-yy/ww where: xxxxxx – Additional functions/alarm types (Blank = none, EXIA, EXIC, S-VADW); -yy - Color (Blank = White); /ww - Extra features (Blank = None, HS = Extra High Sensitivity); * Note that when the HS = Extra High Sensitivity setting is used, the product is not compliant with EN 54-7:2018	

Edustajan/valmistajan allekirjoitus:




 Tomasz Dowgiałło, vaatimustenmukaisuusjohtaja
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

FR



DÉCLARATION DE CONFORMITÉ DU FABRICANT



POUR

Identification du produit :

Modèle/type : Voir la liste des modèles Année initiale en regard du symbole CE : 2020

Catégorie (description) : Fire detection and fire alarm systems

Marque : Autronica

Fabricant : Autronica Fire & Security AS
Bromstadvegen 59,
NO-7483 Trondheim
Norway

Représentant UE : --

Concernant	Un échantillon du produit a été testé par	Référence du rapport de test	Normes appliquées
EMC	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN 61000-6-3:2007+A1:2011+AC:2012 EN 50130-4:2011
CPR	DBI Certification A/S, Jernholmen 12, 2650 Hvidovre, Denmark	Certificate: 2531-CPR-CSP11291	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2001+A1:2002+A2:2006 EN 54-23:2010
MED	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: MEDB00006DJ MEDB0000646 MEDD0000141	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2014+A1:2019 EN 54-23:2010 IEC 60092-504:2016 IEC 60533:2015
ATEX	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: DNV 21ATEX14779X for EXIA models DNV 22ATEX13772X for EXIC models	EN IEC 60079-0:2018 EN 60079-11:2012
RoHS	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN IEC 63000:2018

Restrictions de mise en service/exigences avant autorisation d'usage

Non applicable

Aucune



Mesures de conformité

Nous déclarons sous notre seule responsabilité que ce produit est conforme aux directives 93/68/EEC (Marquage), 2014/30/EU (EMC), 305/2011 (CPR), 2014/90/EU (MED), 2014/34/EU (ATEX), et 2011/65/EU (RoHS), modifiée par les directives 2015/863 et 2017/2102, et est conforme aux exigences essentielles et autres dispositions pertinentes des directives en fonction des résultats de test obtenus à l'aide de normes harmonisées, conformément aux directives concernées.

Signature du représentant/fabricant :



Tomasz Dowgiałło, Chargé de la conformité
Autronica Fire & Security AS
Bromstadvegen 59,
NO-7483 Trondheim, Norway

ATEX:

EXIA models:  II 1 G Ex ia IIC T5 Ga Tamb -30°C ≤ Ta ≤ +70°C

EXIC models:  II 3 G Ex ic IIC T5 Gc Tamb -30°C ≤ Ta ≤ +70°C

Liste des modèles (liste de tous les modèles/versions de produits auxquels cette déclaration s'applique)

Modèle	Description
V-430 series	AutroGuard® Multicriteria protector
V-430-S series	AutroGuard® Multicriteria protector with Sounder
V-430-VADR series	AutroGuard® Multicriteria protector with Red VAD
V-430-VADW series	AutroGuard® Multicriteria protector with White VAD
V-430-S-VADR series	AutroGuard® Multicriteria protector with Sounder and Red VAD
V-430-S-VADW series	AutroGuard® Multicriteria protector with Sounder and White VAD
V-530 series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection
V-530-EXIA series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 0, 1 and 2
V-530-EXIC series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 2
V-530-S-VADW series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection, Sounder and White VAD
<p>V-430 series and V-530 series detectors are configurable smoke/heat detectors with optional extra features. Full model codes of the series are as follow:</p> <p>V-430-xxxxx-yy/ww/zz where: xxxxxx - Extra feature/alarm method (Blank = none, S, VADW, VADR, S-VADR, S-VADW); -yy - Color (Blank = White, BK = Black, CC = Custom color); /ww - Extra features (Blank = None, CD = Cover Detection & Self Verify); /zz - represents various certifications;</p> <p>V-530-xxxxx-yy/ww where: xxxxxx – Additional functions/alarm types (Blank = none, EXIA, EXIC, S-VADW); -yy - Color (Blank = White); /ww - Extra features (Blank = None, HS = Extra High Sensitivity);</p> <p>* Note that when the HS = Extra High Sensitivity setting is used, the product is not compliant with EN 54-7:2018</p>	

Signature du représentant/fabricant :




Tomasz Dowgiałło, Chargé de la conformité
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

HR



IZJAVA O SUKLADNOSTI PROIZVOĐAČA

ZA



Identifikacija proizvoda:


Model/tip: Pogledajte popis modela Početna godina postavljanja CE oznake: 2020
 Kategorija (opis): Fire detection and fire alarm systems
 Marka: Autronica

Proizvođač: Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim
 Norway

Predstavnik EU: --

Odnosi se na	Uzorak proizvoda testirao je	Izvešće o ispitivanju	Primijenjeni standardi
EMC	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN 61000-6-3:2007+A1:2011+AC:2012 EN 50130-4:2011
CPR	DBI Certification A/S, Jernholmen 12, 2650 Hvidovre, Denmark	Certificate: 2531-CPR-CSP11291	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2001+A1:2002+A2:2006 EN 54-23:2010
MED	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: MEDB00006DJ MEDB0000646 MEDD0000141	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2014+A1:2019 EN 54-23:2010 IEC 60092-504:2016 IEC 60533:2015
ATEX	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: DNV 21ATEX14779X for EXIA models DNV 22ATEX13772X for EXIC models	EN IEC 60079-0:2018 EN 60079-11:2012
RoHS	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN IEC 63000:2018

Ograničenja stavljanja u uporabu / zahtjevi za odobrenje uporabe

Nije primjenjivo Nema ograničenja 

Sredstva sukladnosti

Izjavljujemo na vlastitu odgovornost da je ovaj proizvod u skladu s direktivama: 93/68/EEZ (označavanje), 2014/30/EU (EMC), 305/2011 (CPR), 2014/90/EU (MED), 2014/34/EU (ATEX), i 2011/65/EU (Direktiva za ograničavanje upotrebe određenih opasnih supstanci, RoHS), koja je izmijenjena direktivama 2015/863 i 2017/2102, te je u skladu s osnovnim zahtjevima i svim ostalim relevantnim odredbama ovih direktiva na temelju rezultata ispitivanja koristeći usklađene standarde, a u skladu s navedenim direktivama.

ATEX:

EXIA models:  II 1 G Ex ia IIC T5 Ga Tamb -30°C ≤ Ta ≤ +70°C

Potpis predstavnika / proizvođača:



Tomasz Dowgiałło, voditelj Odjela za usklađenost
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

EXIC
models:



II 3 G Ex ic IIC T5 Gc Tamb -30°C ≤ Ta ≤ +70°C

Popis modela (popis svih inačica ili modela proizvoda za koje vrijedi ova izjava)

Model	Opis
V-430 series	AutroGuard® Multicriteria protector
V-430-S series	AutroGuard® Multicriteria protector with Sounder
V-430-VADR series	AutroGuard® Multicriteria protector with Red VAD
V-430-VADW series	AutroGuard® Multicriteria protector with White VAD
V-430-S-VADR series	AutroGuard® Multicriteria protector with Sounder and Red VAD
V-430-S-VADW series	AutroGuard® Multicriteria protector with Sounder and White VAD
V-530 series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection
V-530-EXIA series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 0, 1 and 2
V-530-EXIC series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 2
V-530-S-VADW series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection, Sounder and White VAD
<p>V-430 series and V-530 series detectors are configurable smoke/heat detectors with optional extra features. Full model codes of the series are as follow: V-430-xxxxxx-yy/ww/zz where: xxxxxx - Extra feature/alarm method (Blank = none, S, VADW, VADR, S-VADR, S-VADW); -yy - Color (Blank = White, BK = Black, CC = Custom color); /ww - Extra features (Blank = None, CD = Cover Detection & Self Verify); /zz - represents various certifications; V-530-xxxxxx-yy/ww where: xxxxxx – Additional functions/alarm types (Blank = none, EXIA, EXIC, S-VADW); -yy - Color (Blank = White); /ww - Extra features (Blank = None, HS = Extra High Sensitivity);</p> <p>* Note that when the HS = Extra High Sensitivity setting is used, the product is not compliant with EN 54-7:2018</p>	

Potpis predstavnika / proizvođača:




Tomasz Dowgiatto, voditelj Odjela za usklađenost
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

HU



A GYÁRTÓ MEGFELELŐSÉGI NYILATKOZATA



AZ ALÁBBIAKRA VONATKOZÓAN

Termékazonosító:

Modell/típus: Lásd: modellek felsorolása A CE-jelölés elhelyezésének első éve: 2020
Kategória (leírás): Fire detection and fire alarm systems
Márka: Autronica

Gyártó: Autronica Fire & Security AS
Bromstadvegen 59,
NO-7483 Trondheim
Norway

EU-képviselő: --

Írányelv	Termékminta tesztelését végezte	Vizsgálati jelentés hivatkozása	Alkalmazott szabványok
EMC	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN 61000-6-3:2007+A1:2011+AC:2012 EN 50130-4:2011
CPR	DBI Certification A/S, Jernholmen 12, 2650 Hvidovre, Denmark	Certificate: 2531-CPR-CSP11291	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2001+A1:2002+A2:2006 EN 54-23:2010
MED	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: MEDB00006DJ MEDB0000646 MEDD0000141	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2014+A1:2019 EN 54-23:2010 IEC 60092-504:2016 IEC 60533:2015
ATEX	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: DNV 21ATEX14779X for EXIA models DNV 22ATEX13772X for EXIC models	EN IEC 60079-0:2018 EN 60079-11:2012
RoHS	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN IEC 63000:2018

Üzembe helyezési korlátozások/használatbavételi engedélyre vonatkozó követelmények

Nem alkalmazható Egyik sem

A megfelelés módjai

Kizárólagos felelősségünk tudatában kijelentjük, hogy a termék megfelel az alábbi irányelveknek: 93/68/EGK (jelölés), 2014/30/EU (EMC), 305/2011 (CPR); 2014/90/EU (MED), 2014/34/EU (ATEX), továbbá a 2015/863 és 2017/2102 rendelet által módosított 2011/65/EU (RoHS), és megfelel az alapvető követelményeknek és az irányelvek minden más vonatkozó rendelkezésének az említett irányelvekkel összhangban lévő harmonizált szabványok felhasználásával végzett vizsgálatok eredményei alapján.

A képviselő/gyártó aláírása:

Tomasz Dowgiałło, megfeleléségi vezető
Autronica Fire & Security AS
Bromstadvegen 59,
NO-7483 Trondheim, Norway

ATEX:

EXIA
models:  II 1 G Ex ia IIC T5 Ga Tamb -30°C ≤ Ta ≤ +70°C

EXIC
models:  II 3 G Ex ic IIC T5 Gc Tamb -30°C ≤ Ta ≤ +70°C

Modellek felsorolása (Azon termékváltozatok vagy modellek listája, amelyekre ez a nyilatkozat érvényes)

Modell	Leírás
V-430 series	AutroGuard® Multicriteria protector
V-430-S series	AutroGuard® Multicriteria protector with Sounder
V-430-VADR series	AutroGuard® Multicriteria protector with Red VAD
V-430-VADW series	AutroGuard® Multicriteria protector with White VAD
V-430-S-VADR series	AutroGuard® Multicriteria protector with Sounder and Red VAD
V-430-S-VADW series	AutroGuard® Multicriteria protector with Sounder and White VAD
V-530 series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection
V-530-EXIA series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 0, 1 and 2
V-530-EXIC series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 2
V-530-S-VADW series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection, Sounder and White VAD
<p>V-430 series and V-530 series detectors are configurable smoke/heat detectors with optional extra features. Full model codes of the series are as follow:</p> <p>V-430-xxxxx-yy/ww/zz where: xxxxxx - Extra feature/alarm method (Blank = none, S, VADW, VADR, S-VADR, S-VADW); -yy - Color (Blank = White, BK = Black, CC = Custom color); /ww - Extra features (Blank = None, CD = Cover Detection & Self Verify); /zz - represents various certifications;</p> <p>V-530-xxxxx-yy/ww where: xxxxxx – Additional functions/alarm types (Blank = none, EXIA, EXIC, S-VADW); -yy - Color (Blank = White); /ww - Extra features (Blank = None, HS = Extra High Sensitivity);</p> <p>* Note that when the HS = Extra High Sensitivity setting is used, the product is not compliant with EN 54-7:2018</p>	

A képviselő/gyártó aláírása:




Tomasz Dowgiałło, megfeleléségi vezető
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

IT



DICHIARAZIONE DI CONFORMITÀ DEL PRODUTTORE



PER

Identificazione del prodotto:

Modello/tipo: Fare riferimento all'elenco dei modelli Anno iniziale di applicazione del marchio CE: 2020

Categoria (descrizione): Fire detection and fire alarm systems

Marca: Autronica

Fabbricante: Autronica Fire & Security AS
Bromstadvegen 59,
NO-7483 Trondheim
Norway

Rappresentante UE: --

Relativo a	Un campione del prodotto è stato testato da	Riferimento report di test	Standard applicati
EMC	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN 61000-6-3:2007+A1:2011+AC:2012 EN 50130-4:2011
CPR	DBI Certification A/S, Jernholmen 12, 2650 Hvidovre, Denmark	Certificate: 2531-CPR-CSP11291	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2001+A1:2002+A2:2006 EN 54-23:2010
MED	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: MEDB00006DJ MEDB0000646 MEDD0000141	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2014+A1:2019 EN 54-23:2010 IEC 60092-504:2016 IEC 60533:2015
ATEX	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: DNV 21ATEX14779X for EXIA models DNV 22ATEX13772X for EXIC models	EN IEC 60079-0:2018 EN 60079-11:2012
RoHS	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN IEC 63000:2018

Restrizioni sulla messa in servizio/requisiti per l'autorizzazione all'uso

Non applicabile

Nessuna.



Conformità

Il produttore dichiara, sotto la propria responsabilità, che questo prodotto è conforme alle Direttive: 93/68/EEC (marchio), 2014/30/EU (EMC), 305/2011 (CPR), 2014/90/EU (MED), e 2011/65/EU (RoHS), 2014/34/EU (ATEX), modificata da 2015/863 e 2017/2102 ed è conforme ai requisiti essenziali e a tutte le altre relative disposizioni delle Direttive in base ai risultati del test che utilizzano standard armonizzati in conformità con le Direttive citate.

Firma del rappresentante/produttore:



Tomasz Dowgiałło, Compliance Leader
Autronica Fire & Security AS
Bromstadvegen 59,
NO-7483 Trondheim, Norway

ATEX:

EXIA models:  II 1 G Ex ia IIC T5 Ga Tamb -30°C ≤ Ta ≤ +70°C

EXIC models:  II 3 G Ex ic IIC T5 Gc Tamb -30°C ≤ Ta ≤ +70°C

Elenco di modelli (elenco di tutte le varianti di prodotto o modelli per cui questa dichiarazione è valida)

Modello	Descrizione
V-430 series	AutroGuard® Multicriteria protector
V-430-S series	AutroGuard® Multicriteria protector with Sounder
V-430-VADR series	AutroGuard® Multicriteria protector with Red VAD
V-430-VADW series	AutroGuard® Multicriteria protector with White VAD
V-430-S-VADR series	AutroGuard® Multicriteria protector with Sounder and Red VAD
V-430-S-VADW series	AutroGuard® Multicriteria protector with Sounder and White VAD
V-530 series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection
V-530-EXIA series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 0, 1 and 2
V-530-EXIC series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 2
V-530-S-VADW series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection, Sounder and White VAD
<p>V-430 series and V-530 series detectors are configurable smoke/heat detectors with optional extra features. Full model codes of the series are as follow:</p> <p>V-430-xxxxxx-yy/ww/zz where: xxxxxx - Extra feature/alarm method (Blank = none, S, VADW, VADR, S-VADR, S-VADW); -yy - Color (Blank = White, BK = Black, CC = Custom color); /ww - Extra features (Blank = None, CD = Cover Detection & Self Verify); /zz - represents various certifications;</p> <p>V-530-xxxxxx-yy/ww where: xxxxxx – Additional functions/alarm types (Blank = none, EXIA, EXIC, S-VADW); -yy - Color (Blank = White); /ww - Extra features (Blank = None, HS = Extra High Sensitivity);</p> <p>* Note that when the HS = Extra High Sensitivity setting is used, the product is not compliant with EN 54-7:2018</p>	

Firma del rappresentante/produttore:




Tomasz Dowgiałło, Compliance Leader
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

LT



GAMINTOJO ATITIKTIES DEKLARACIJA

DĒL

**Gaminio identifikavimas:**

Modelis / tipas: Žr. modelių sąrašą

Pirmi metai ženklinant CE ženklui: 2020

Kategorija (apibūdinimas): Fire detection and fire alarm systems

Prekės ženklas: Autronica

Gamintojas: Autronica Fire & Security AS
Bromstadvegen 59,
NO-7483 Trondheim
Norway**ES atstovas:** --

Dėl	Gaminio pavyzdį išbandė	Bandyimo ataskaitos nuoroda	Taikomi standartai
EMC	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN 61000-6-3:2007+A1:2011+AC:2012 EN 50130-4:2011
CPR	DBI Certification A/S, Jernholmen 12, 2650 Hvidovre, Denmark	Certificate: 2531-CPR-CSP11291	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2001+A1:2002+A2:2006 EN 54-23:2010
MED	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: MEDB00006DJ MEDB0000646 MEDD0000141	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2014+A1:2019 EN 54-23:2010 IEC 60092-504:2016 IEC 60533:2015
ATEX	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: DNV 21ATEX14779X for EXIA models DNV 22ATEX13772X for EXIC models	EN IEC 60079-0:2018 EN 60079-11:2012
RoHS	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN IEC 63000:2018

Eksploatacijos pradžios apribojimai / naudojimo leidimo reikalavimai Netaikoma Nėra**Atitikties priemonės**

Mes tik savo atsakomybe pareiškiame, kad šis gaminys atitinka direktyvas: 93/68/EEB (ženklinimas), 2014/30/ES (EMC), 305/2011 (CPR), 2014/90/EU (MED), 2014/34/EU (ATEX), ir 2011/65/ES (RoHS) su pakeitimais, padarytais 2015/863 ir 2017/2102, ir atitinka esminius reikalavimus ir visas kitas atitinkamas direktyvų nuostatas, pagrįstas bandymų rezultatais, naudojant suderintus standartus pagal minėtas direktyvas.

ATEX:

EXIA models:



II 1 G Ex ia IIC T5 Ga Tamb -30°C ≤ Ta ≤ +70°C

Atstovo / gamintojo parašas:

Tomasz Dowgiałło, atitikties vadovas
Autronica Fire & Security AS
Bromstadvegen 59,
NO-7483 Trondheim, Norway

EXIC models:



II 3 G Ex ic IIC T5 Gc Tamb -30°C ≤ Ta ≤ +70°C

Modelių sąrašas (visų gaminių variantų ar modelių, kuriems galioja ši deklaracija, sąrašas)

Modelis	Apibūdinimas
V-430 series	AutroGuard® Multicriteria protector
V-430-S series	AutroGuard® Multicriteria protector with Sounder
V-430-VADR series	AutroGuard® Multicriteria protector with Red VAD
V-430-VADW series	AutroGuard® Multicriteria protector with White VAD
V-430-S-VADR series	AutroGuard® Multicriteria protector with Sounder and Red VAD
V-430-S-VADW series	AutroGuard® Multicriteria protector with Sounder and White VAD
V-530 series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection
V-530-EXIA series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 0, 1 and 2
V-530-EXIC series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 2
V-530-S-VADW series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection, Sounder and White VAD

V-430 series and V-530 series detectors are configurable smoke/heat detectors with optional extra features. Full model codes of the series are as follow:

V-430-xxxxxx-yy/ww/zz where:
 xxxxxx - Extra feature/alarm method (Blank = none, S, VADW, VADR, S-VADR, S-VADW);
 -yy - Color (Blank = White, BK = Black, CC = Custom color);
 /ww - Extra features (Blank = None, CD = Cover Detection & Self Verify);
 /zz - represents various certifications;

V-530-xxxxxx-yy/ww where:
 xxxxxx – Additional functions/alarm types (Blank = none, EXIA, EXIC, S-VADW);
 -yy - Color (Blank = White);
 /ww - Extra features (Blank = None, HS = Extra High Sensitivity);

* Note that when the HS = Extra High Sensitivity setting is used, the product is not compliant with EN 54-7:2018

Atstovo / gamintojo parašas:




Tomasz Dowgiałło, atitikties vadovas
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

NL



CONFORMITEITSVERKLARING VAN DE FABRIKANT



VOOR

Productidentificatie:

Model/type: Raadpleeg de modellijst Eerste jaar met CE-markering: 2020
 Categorie (beschrijving): Fire detection and fire alarm systems
 Merk: Autronica

Fabrikant: Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim
 Norway

EU-vertegenwoordiger: --

Met betrekking tot	Een sample van het product is getest door	Referentie testmelding	Toegepaste normen
EMC	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN 61000-6-3:2007+A1:2011+AC:2012 EN 50130-4:2011
CPR	DBI Certification A/S, Jernholmen 12, 2650 Hvidovre, Denmark	Certificate: 2531-CPR-CSP11291	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2001+A1:2002+A2:2006 EN 54-23:2010
MED	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: MEDB00006DJ MEDB0000646 MEDD0000141	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2014+A1:2019 EN 54-23:2010 IEC 60092-504:2016 IEC 60533:2015
ATEX	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: DNV 21ATEX14779X for EXIA models DNV 22ATEX13772X for EXIC models	EN IEC 60079-0:2018 EN 60079-11:2012
RoHS	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN IEC 63000:2018

Bependingen op het in gebruik nemen/vereisten voor autorisatie van gebruik

Niet van toepassing Geen 

Conformiteitsmiddelen

Wij verklaren onder onze eigen verantwoordelijkheid dat dit product in overeenstemming is met de richtlijnen: 93/68/EEG (markering), 2014/30/EU (EMC), 305/2011 (CPR), 2014/90/EU (MED), 2014/34/EU (ATEX), en 2011/65/EU (RoHS), zoals gewijzigd door 2015/863 en 2017/2102, en dat het product voldoet aan de essentiële vereisten en alle andere relevante bepalingen van de richtlijnen op basis van testresultaten aan de hand van geharmoniseerde normen, conform de genoemde richtlijnen.

Handtekening vertegenwoordiger/fabrikant:



Tomasz Dowgiałło, Compliance Leader
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

ATEX:

EXIA models:  II 1 G Ex ia IIC T5 Ga Tamb -30°C ≤ Ta ≤ +70°C

EXIC models:  II 3 G Ex ic IIC T5 Gc Tamb -30°C ≤ Ta ≤ +70°C

Modellijst (lijst van alle productvarianten of modellen waarvoor deze verklaring geldig is)

Model	Beschrijving
V-430 series	AutroGuard® Multicriteria protector
V-430-S series	AutroGuard® Multicriteria protector with Sounder
V-430-VADR series	AutroGuard® Multicriteria protector with Red VAD
V-430-VADW series	AutroGuard® Multicriteria protector with White VAD
V-430-S-VADR series	AutroGuard® Multicriteria protector with Sounder and Red VAD
V-430-S-VADW series	AutroGuard® Multicriteria protector with Sounder and White VAD
V-530 series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection
V-530-EXIA series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 0, 1 and 2
V-530-EXIC series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 2
V-530-S-VADW series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection, Sounder and White VAD
<p>V-430 series and V-530 series detectors are configurable smoke/heat detectors with optional extra features. Full model codes of the series are as follow:</p> <p>V-430-xxxxxx-yy/ww/zz where: xxxxxx - Extra feature/alarm method (Blank = none, S, VADW, VADR, S-VADR, S-VADW); -yy - Color (Blank = White, BK = Black, CC = Custom color); /ww - Extra features (Blank = None, CD = Cover Detection & Self Verify); /zz - represents various certifications;</p> <p>V-530-xxxxxx-yy/ww where: xxxxxx – Additional functions/alarm types (Blank = none, EXIA, EXIC, S-VADW); -yy - Color (Blank = White); /ww - Extra features (Blank = None, HS = Extra High Sensitivity);</p> <p>* Note that when the HS = Extra High Sensitivity setting is used, the product is not compliant with EN 54-7:2018</p>	

Handtekening vertegenwoordiger/fabrikant:




Tomasz Dowgiałło, Compliance Leader
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

NO



PRODUSENTENS SAMSVARERKLÆRING



FOR

Produktidentifikasjon:


Modell/type: Referer til modelloppføring Første år påført CE-merke: 2020
 Kategori (beskrivelse): Fire detection and fire alarm systems
 Merke: Autronica

Produsent: Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim
 Norway

EU-representant: --

Angjeldende	En prøve av produktet har blitt testet av	Testrapportreferanse	Anvendte standarder
EMC	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN 61000-6-3:2007+A1:2011+AC:2012 EN 50130-4:2011
CPR	DBI Certification A/S, Jernholmen 12, 2650 Hvidovre, Denmark	Certificate: 2531-CPR-CSP11291	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2001+A1:2002+A2:2006 EN 54-23:2010
MED	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: MEDB00006DJ MEDB0000646 MEDD0000141	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2014+A1:2019 EN 54-23:2010 IEC 60092-504:2016 IEC 60533:2015
ATEX	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: DNV 21ATEX14779X for EXIA models DNV 22ATEX13772X for EXIC models	EN IEC 60079-0:2018 EN 60079-11:2012
RoHS	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN IEC 63000:2018

Begrensninger på å sette i drift/krav til autorisering av bruk

Ikke aktuelt Ingen 

Samsvarsmetode

Vi erklærer etter eget ansvar at dette produktet er i samsvar med direktivene: 93/68/EØS (merking), 2014/30/EU (EMC), 305/2011 (CPR), 2014/90/EU (MED), 2014/34/EU (ATEX), og 2011/65/EU (RoHS), endret av 2015/863 og 2017/2102, og samsvarer med de vesentlige kravene og alle relevante bestemmelser av direktivene basert på testresultater ved hjelp av harmoniserte standarder i samsvar med de nevnte direktivene.

ATEX:

EXIA models:  II 1 G Ex ia IIC T5 Ga Tamb -30°C ≤ Ta ≤ +70°C

Signatur fra representant/produsent:



Tomasz Dowgiałło, samsvarsleder
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

EXIC
models:



II 3 G Ex ic IIC T5 Gc Tamb -30°C ≤ Ta ≤ +70°C

Modelloppføring (liste over alle produktvarianter eller modeller som erklæringen er gyldig for)

Modell	Beskrivelse
V-430 series	AutroGuard® Multicriteria protector
V-430-S series	AutroGuard® Multicriteria protector with Sounder
V-430-VADR series	AutroGuard® Multicriteria protector with Red VAD
V-430-VADW series	AutroGuard® Multicriteria protector with White VAD
V-430-S-VADR series	AutroGuard® Multicriteria protector with Sounder and Red VAD
V-430-S-VADW series	AutroGuard® Multicriteria protector with Sounder and White VAD
V-530 series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection
V-530-EXIA series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 0, 1 and 2
V-530-EXIC series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 2
V-530-S-VADW series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection, Sounder and White VAD
<p>V-430 series and V-530 series detectors are configurable smoke/heat detectors with optional extra features. Full model codes of the series are as follow: V-430-xxxxxx-yy/ww/zz where: xxxxxx - Extra feature/alarm method (Blank = none, S, VADW, VADR, S-VADR, S-VADW); -yy - Color (Blank = White, BK = Black, CC = Custom color); /ww - Extra features (Blank = None, CD = Cover Detection & Self Verify); /zz - represents various certifications; V-530-xxxxxx-yy/ww where: xxxxxx – Additional functions/alarm types (Blank = none, EXIA, EXIC, S-VADW); -yy - Color (Blank = White); /ww - Extra features (Blank = None, HS = Extra High Sensitivity);</p> <p>* Note that when the HS = Extra High Sensitivity setting is used, the product is not compliant with EN 54-7:2018</p>	

Signatur fra representant/produsent:




Tomasz Dowgiałło, samsvarsleder
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

PL



DEKLARACJA ZGODNOŚCI PRODUCENTA



DOTYCZY

Identyfikacja produktu:

Model/typ: Patrz lista modeli Rok początkowy umieszczenia znaku CE: 2020
 Kategoria (opis): Fire detection and fire alarm systems
 Marka: Autronica

Producent: Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim
 Norway

Reprezentacja EU: --

Odniesienie do	Próbka została przetestowana przez	Raport z testów	Zastosowane normy
EMC	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN 61000-6-3:2007+A1:2011+AC:2012 EN 50130-4:2011
CPR	DBI Certification A/S, Jernholmen 12, 2650 Hvidovre, Denmark	Certificate: 2531-CPR-CSP11291	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2001+A1:2002+A2:2006 EN 54-23:2010
MED	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: MEDB00006DJ MEDB0000646 MEDD0000141	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2014+A1:2019 EN 54-23:2010 IEC 60092-504:2016 IEC 60533:2015
ATEX	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: DNV 21ATEX14779X for EXIA models DNV 22ATEX13772X for EXIC models	EN IEC 60079-0:2018 EN 60079-11:2012
RoHS	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN IEC 63000:2018

Ograniczenia dotyczące dopuszczenia do użytku/wymagania dotyczące dopuszczenia do użytku

Nie dotyczy Brak 

Środki zgodności

Deklarujemy na naszą wyłączną odpowiedzialność, że niniejszy produkt jest zgodny z dyrektywami: 93/68/EEC (Oznaczenia), 2014/30/EU (EMC), 305/2011 (CPR), 2014/90/EU (MED), 2014/34/EU (ATEX), oraz 2011/65/EU (RoHS - Ograniczenia dotyczące substancji niebezpiecznych), z poprawkami w 2015/863 i 2017/2102 oraz pozostaje w zgodzie z zasadniczymi wymogami i wszystkimi innymi stosownymi przepisami Dyrektyw w oparciu o wyniki badań przy użyciu zharmonizowanych norm zgodnie z wymienionymi dyrektywami..

Podpis przedstawiciela/producenta:



Tomasz Dowgiałło, Lider ds. zgodności z normami
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

ATEX:

EXIA
models:  II 1 G Ex ia IIC T5 Ga Tamb -30°C ≤ Ta ≤ +70°C

EXIC
models:  II 3 G Ex ic IIC T5 Gc Tamb -30°C ≤ Ta ≤ +70°C

Lista modeli (Wykaz wszystkich wariantów lub modeli produktu, dla których obowiązuje niniejsza deklaracja)

Model	Opis
V-430 series	AutroGuard® Multicriteria protector
V-430-S series	AutroGuard® Multicriteria protector with Sounder
V-430-VADR series	AutroGuard® Multicriteria protector with Red VAD
V-430-VADW series	AutroGuard® Multicriteria protector with White VAD
V-430-S-VADR series	AutroGuard® Multicriteria protector with Sounder and Red VAD
V-430-S-VADW series	AutroGuard® Multicriteria protector with Sounder and White VAD
V-530 series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection
V-530-EXIA series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 0, 1 and 2
V-530-EXIC series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 2
V-530-S-VADW series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection, Sounder and White VAD
<p>V-430 series and V-530 series detectors are configurable smoke/heat detectors with optional extra features. Full model codes of the series are as follow:</p> <p>V-430-xxxxxx-yy/ww/zz where: xxxxxx - Extra feature/alarm method (Blank = none, S, VADW, VADR, S-VADR, S-VADW); -yy - Color (Blank = White, BK = Black, CC = Custom color); /ww - Extra features (Blank = None, CD = Cover Detection & Self Verify); /zz - represents various certifications;</p> <p>V-530-xxxxxx-yy/ww where: xxxxxx – Additional functions/alarm types (Blank = none, EXIA, EXIC, S-VADW); -yy - Color (Blank = White); /ww - Extra features (Blank = None, HS = Extra High Sensitivity);</p> <p>* Note that when the HS = Extra High Sensitivity setting is used, the product is not compliant with EN 54-7:2018</p>	

Podpis przedstawiciela/producenta:




Tomasz Dowgiało, Lider ds. zgodności z normami
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

PT



DECLARAÇÃO DE CONFORMIDADE DO FABRICANTE



PARA

Identificação do produto:

Modelo/tipo: Consulte a listagem de modelos Ano inicial de afixação da marcação CE: 2020
Categoria (descrição): Fire detection and fire alarm systems
Marca: Autronica

Fabricante: Autronica Fire & Security AS
Bromstadvegen 59,
NO-7483 Trondheim
Norway

Representante na UE: --

Relativamente a	Foi testada uma amostra do produto por	Referência do relatório de teste	Normas aplicadas
EMC	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN 61000-6-3:2007+A1:2011+AC:2012 EN 50130-4:2011
CPR	DBI Certification A/S, Jernholmen 12, 2650 Hvidovre, Denmark	Certificate: 2531-CPR-CSP11291	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2001+A1:2002+A2:2006 EN 54-23:2010
MED	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: MEDB00006DJ MEDB0000646 MEDD0000141	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2014+A1:2019 EN 54-23:2010 IEC 60092-504:2016 IEC 60533:2015
ATEX	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: DNV 21ATEX14779X for EXIA models DNV 22ATEX13772X for EXIC models	EN IEC 60079-0:2018 EN 60079-11:2012
RoHS	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN IEC 63000:2018

Restrições de colocação em serviço/requisitos para autorização de utilização Não aplicável Nenhum**Meios de conformidade**

Declaramos, sob nossa única responsabilidade, que este produto está em conformidade com as Diretivas: 93/68/CEE (Marcação), 2014/30/EU (EMC), 305/2011 (CPR), 2014/90/EU (MED), 2014/34/EU (ATEX), e 2011/65/EU (RoHS), emendada pela 2015/863 e 2017/2102, e está em conformidade com os requisitos essenciais e todas as outras disposições relevantes das Diretivas baseadas em resultados de testes utilizando as normas harmonizadas de acordo com as Diretivas mencionadas.

Assinatura do representante/fabricante:

Tomasz Dowgiałło, Compliance Leader
Autronica Fire & Security AS
Bromstadvegen 59,
NO-7483 Trondheim, Norway

ATEX:

EXIA models:  II 1 G Ex ia IIC T5 Ga Tamb -30°C ≤ Ta ≤ +70°C

EXIC models:  II 3 G Ex ic IIC T5 Gc Tamb -30°C ≤ Ta ≤ +70°C

Listagem de modelos (Lista de todas as variantes ou modelos de produtos para os quais esta variante é válida)

Modelo	Descrição
V-430 series	AutroGuard® Multicriteria protector
V-430-S series	AutroGuard® Multicriteria protector with Sounder
V-430-VADR series	AutroGuard® Multicriteria protector with Red VAD
V-430-VADW series	AutroGuard® Multicriteria protector with White VAD
V-430-S-VADR series	AutroGuard® Multicriteria protector with Sounder and Red VAD
V-430-S-VADW series	AutroGuard® Multicriteria protector with Sounder and White VAD
V-530 series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection
V-530-EXIA series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 0, 1 and 2
V-530-EXIC series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 2
V-530-S-VADW series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection, Sounder and White VAD
<p>V-430 series and V-530 series detectors are configurable smoke/heat detectors with optional extra features. Full model codes of the series are as follow:</p> <p>V-430-xxxxxx-yy/ww/zz where: xxxxxx - Extra feature/alarm method (Blank = none, S, VADW, VADR, S-VADR, S-VADW); -yy - Color (Blank = White, BK = Black, CC = Custom color); /ww - Extra features (Blank = None, CD = Cover Detection & Self Verify); /zz - represents various certifications;</p> <p>V-530-xxxxxx-yy/ww where: xxxxxx – Additional functions/alarm types (Blank = none, EXIA, EXIC, S-VADW); -yy - Color (Blank = White); /ww - Extra features (Blank = None, HS = Extra High Sensitivity);</p> <p>* Note that when the HS = Extra High Sensitivity setting is used, the product is not compliant with EN 54-7:2018</p>	

Assinatura do representante/fabricante:




Tomasz Dowgiałło, Compliance Leader
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

SK



VYHLÁSENIE VÝROBCU O ZHODE

PRE



Identifikácia výrobku:


Model/typ: Pozrite si zoznam modelov Umiestnenie označenia CE od roku: 2020
 Kategória (opis): Fire detection and fire alarm systems
 Značka: Autronica

Výrobca: Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim
 Norway

Zástupca v EÚ: --

Týka sa	Vzorku výrobku testovala spoločnosť	Odkaz na protokol o skúške	Použité normy
EMC	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN 61000-6-3:2007+A1:2011+AC:2012 EN 50130-4:2011
CPR	DBI Certification A/S, Jernholmen 12, 2650 Hvidovre, Denmark	Certificate: 2531-CPR-CSP11291	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2001+A1:2002+A2:2006 EN 54-23:2010
MED	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: MEDB00006DJ MEDB0000646 MEDD0000141	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2014+A1:2019 EN 54-23:2010 IEC 60092-504:2016 IEC 60533:2015
ATEX	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: DNV 21ATEX14779X for EXIA models DNV 22ATEX13772X for EXIC models	EN IEC 60079-0:2018 EN 60079-11:2012
RoHS	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN IEC 63000:2018


Obmedzenia uvedenia do prevádzky/požiadavky na povolenie na používanie

Nevzťahuje sa Žiadne 

Prostriedky preukázania zhody

Vyhlasujeme na vlastnú zodpovednosť, že tento výrobok je v súlade s predpismi: smernica 93/68/EHS (značenie), 2014/30/EU (EMC), 305/2011 (CPR), 2014/90/EU (MED), 2014/34/EU (ATEX), a smernica 2011/65/EÚ (RoHS) v znení smerníc 2015/863 a 2017/2102 a je v súlade so základnými požiadavkami a všetkými ostatnými príslušnými ustanoveniami smerníc na základe výsledkov skúšok s použitím harmonizovaných noriem v súlade s uvedenými smernicami.

ATEX:

EXIA models:  II 1 G Ex ia IIC T5 Ga Tamb -30°C ≤ Ta ≤ +70°C

Podpis zástupcu/výrobcu:



Tomasz Dowgiałło, vedúci oddelenia pre súlad s predpismi
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

EXIC
models:



II 3 G Ex ic IIC T5 Gc Tamb -30°C ≤ Ta ≤ +70°C

Zoznam modelov (zoznam všetkých variantov alebo modelov výrobku, pre ktoré platí toto vyhlásenie)

Model	Opis
V-430 series	AutroGuard® Multicriteria protector
V-430-S series	AutroGuard® Multicriteria protector with Sounder
V-430-VADR series	AutroGuard® Multicriteria protector with Red VAD
V-430-VADW series	AutroGuard® Multicriteria protector with White VAD
V-430-S-VADR series	AutroGuard® Multicriteria protector with Sounder and Red VAD
V-430-S-VADW series	AutroGuard® Multicriteria protector with Sounder and White VAD
V-530 series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection
V-530-EXIA series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 0, 1 and 2
V-530-EXIC series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 2
V-530-S-VADW series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection, Sounder and White VAD
<p>V-430 series and V-530 series detectors are configurable smoke/heat detectors with optional extra features. Full model codes of the series are as follow:</p> <p>V-430-xxxxxx-yy/ww/zz where:</p> <p>xxxxxx - Extra feature/alarm method (Blank = none, S, VADW, VADR, S-VADR, S-VADW); -yy - Color (Blank = White, BK = Black, CC = Custom color); /ww - Extra features (Blank = None, CD = Cover Detection & Self Verify); /zz - represents various certifications;</p> <p>V-530-xxxxxx-yy/ww where:</p> <p>xxxxxx – Additional functions/alarm types (Blank = none, EXIA, EXIC, S-VADW); -yy - Color (Blank = White); /ww - Extra features (Blank = None, HS = Extra High Sensitivity);</p> <p>* Note that when the HS = Extra High Sensitivity setting is used, the product is not compliant with EN 54-7:2018</p>	

Podpis zástupcu/výrobcu:




Tomasz Dowgiało, vedúci oddelenia pre súlad s predpismi
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

SL



IZJAVA PROIZVAJALCA O SKLADNOSTI



ZA

Identifikacija izdelka:

Model/tip: Oglejte si seznam modelov Začetno leto namestitve oznake CE: 2020
Kategorija (opis): Fire detection and fire alarm systems
Blagovna znamka: Autronica

Proizvajalec: Autronica Fire & Security AS
Bromstadvegen 59,
NO-7483 Trondheim
Norway

Predstavnik EU: --

Zadeva	Vzorec izdelka je preveril/a	Sklic na poročilo o preskusu	Uporabljeni standardi
EMC	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN 61000-6-3:2007+A1:2011+AC:2012 EN 50130-4:2011
CPR	DBI Certification A/S, Jernholmen 12, 2650 Hvidovre, Denmark	Certificate: 2531-CPR-CSP11291	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2001+A1:2002+A2:2006 EN 54-23:2010
MED	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: MEDB00006DJ MEDB0000646 MEDD0000141	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2014+A1:2019 EN 54-23:2010 IEC 60092-504:2016 IEC 60533:2015
ATEX	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: DNV 21ATEX14779X for EXIA models DNV 22ATEX13772X for EXIC models	EN IEC 60079-0:2018 EN 60079-11:2012
RoHS	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN IEC 63000:2018

Omejitve pri začetku obratovanja/zahteve za odobritev uporabe Ni uporabno Brez**Sredstva za skladnost**

Na lastno odgovornost izjavljamo, da je ta izdelek v skladu z direktivami: 93/68/EGS (označevanje), 2014/30/EU (EMC), 305/2011 (CPR), 2014/90/EU (MED), 2014/34/EU (ATEX), in 2011/65/EU (RoHS), spremenjeni z 2015/863 in 2017/2102, ter izpolnjuje bistvene zahteve in vse druge ustrezne določbe direktiv, ki temeljijo na rezultatih preskusov z uporabo usklajenih standardov v skladu z navedenimi direktivami.

Podpis zastopnika/proizvajalca:



Tomasz Dowgiałło, vodja Oddelka za skladnost
Autronica Fire & Security AS
Bromstadvegen 59,
NO-7483 Trondheim, Norway

ATEX:

 EXIA models:  II 1 G Ex ia IIC T5 Ga Tamb -30°C ≤ Ta ≤ +70°C

 EXIC models:  II 3 G Ex ic IIC T5 Gc Tamb -30°C ≤ Ta ≤ +70°C

Seznam modelov (seznam vseh različic ali modelov izdelkov, za katere velja ta izjava)

Model	Opis
V-430 series	AutroGuard® Multicriteria protector
V-430-S series	AutroGuard® Multicriteria protector with Sounder
V-430-VADR series	AutroGuard® Multicriteria protector with Red VAD
V-430-VADW series	AutroGuard® Multicriteria protector with White VAD
V-430-S-VADR series	AutroGuard® Multicriteria protector with Sounder and Red VAD
V-430-S-VADW series	AutroGuard® Multicriteria protector with Sounder and White VAD
V-530 series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection
V-530-EXIA series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 0, 1 and 2
V-530-EXIC series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 2
V-530-S-VADW series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection, Sounder and White VAD
V-430 series and V-530 series detectors are configurable smoke/heat detectors with optional extra features. Full model codes of the series are as follow: V-430-xxxxxx-yy/ww/zz where: xxxxxx - Extra feature/alarm method (Blank = none, S, VADW, VADR, S-VADR, S-VADW); -yy - Color (Blank = White, BK = Black, CC = Custom color); /ww - Extra features (Blank = None, CD = Cover Detection & Self Verify); /zz - represents various certifications; V-530-xxxxxx-yy/ww where: xxxxxx – Additional functions/alarm types (Blank = none, EXIA, EXIC, S-VADW); -yy - Color (Blank = White); /ww - Extra features (Blank = None, HS = Extra High Sensitivity); * Note that when the HS = Extra High Sensitivity setting is used, the product is not compliant with EN 54-7:2018	

Podpis zastopnika/proizvajalca:




 Tomasz Dowgiałło, vodja Oddelka za skladnost
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

SV



KONFORMITETSDEKLARATION

FÖR



Produktidentifikation:


Modell/typ: Se modellista Inledande år för CE-märkning: 2020
 Kategori (beskrivning): Fire detection and fire alarm systems
 Märke: Autronica

Leverantör: Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim
 Norway

EU-representant: --

Angående	Ett produktprov har testats av	Testrapport-sf-referens	Tillämpade standarder
EMC	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN 61000-6-3:2007+A1:2011+AC:2012 EN 50130-4:2011
CPR	DBI Certification A/S, Jernholmen 12, 2650 Hvidovre, Denmark	Certificate: 2531-CPR-CSP11291	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2001+A1:2002+A2:2006 EN 54-23:2010
MED	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: MEDB00006DJ MEDB0000646 MEDD0000141	EN 54-5:2017+A1:2018 EN 54-7:2018 EN 54-3:2014+A1:2019 EN 54-23:2010 IEC 60092-504:2016 IEC 60533:2015
ATEX	DNV Product Assurance AS Veritasveien 1 1363 Høvik Norway	Certificate: DNV 21ATEX14779X for EXIA models DNV 22ATEX13772X for EXIC models	EN IEC 60079-0:2018 EN 60079-11:2012
RoHS	Autronica Fire & Security AS Bromstadvegen 59, NO-7483 Trondheim Norway	CQP_AutroGuard_rev2	EN IEC 63000:2018

Begränsningar för idrifttagning / krav för användningstillstånd

Ej tillämpligt Ingen 

Konformitetsmetoder

Vi förklarar under vårt ensamma ansvar att denna produkt överensstämmer med direktiven: 93/68/EEC (märkning), 2014/30/EU (EMC), 305/2011 (CPR), 2014/90/EU (MED), 2014/34/EU (ATEX), och 2011/65/EU (RoHS), ändrad av 2015/863 och 2017/2102, och uppfyller de väsentliga kraven och alla andra relevanta bestämmelser i direktiven baserade på testresultat med användning av harmoniserade standarder i enlighet med nämnda direktiv.

ATEX:

EXIA models:  II 1 G Ex ia IIC T5 Ga Tamb -30°C ≤ Ta ≤ +70°C

Representantens/tillverkarens underskrift:



Tomasz Dowgiatto, chef för efterlevnad
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway

EXIC models:



II 3 G Ex ic IIC T5 Gc Tamb -30°C ≤ Ta ≤ +70°C

Modellista (Lista över alla produktvarianter eller modeller för vilka denna deklARATION är giltig)

Modell	Beskrivning
V-430 series	AutroGuard® Multicriteria protector
V-430-S series	AutroGuard® Multicriteria protector with Sounder
V-430-VADR series	AutroGuard® Multicriteria protector with Red VAD
V-430-VADW series	AutroGuard® Multicriteria protector with White VAD
V-430-S-VADR series	AutroGuard® Multicriteria protector with Sounder and Red VAD
V-430-S-VADW series	AutroGuard® Multicriteria protector with Sounder and White VAD
V-530 series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection
V-530-EXIA series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 0, 1 and 2
V-530-EXIC series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection. Intrinsically safe for zone 2
V-530-S-VADW series	AutroGuard® multicriteria protector with SIL2 and marine approval, SelfVerify and Cover Detection, Sounder and White VAD
<p>V-430 series and V-530 series detectors are configurable smoke/heat detectors with optional extra features. Full model codes of the series are as follow:</p> <p>V-430-xxxxxx-yy/ww/zz where:</p> <p>xxxxxx - Extra feature/alarm method (Blank = none, S, VADW, VADR, S-VADR, S-VADW); -yy - Color (Blank = White, BK = Black, CC = Custom color); /ww - Extra features (Blank = None, CD = Cover Detection & Self Verify); /zz - represents various certifications;</p> <p>V-530-xxxxxx-yy/ww where:</p> <p>xxxxxx – Additional functions/alarm types (Blank = none, EXIA, EXIC, S-VADW); -yy - Color (Blank = White); /ww - Extra features (Blank = None, HS = Extra High Sensitivity);</p> <p>* Note that when the HS = Extra High Sensitivity setting is used, the product is not compliant with EN 54-7:2018</p>	

Representantens/tillverkarens underskrift:



Tomasz Dowgiatto, chef för efterlevnad
 Autronica Fire & Security AS
 Bromstadvegen 59,
 NO-7483 Trondheim, Norway