



中国船级社
CHINA CLASSIFICATION SOCIETY

证书编号/Certificate No.
BG21PTB00014

型式认可证书
CERTIFICATE OF TYPE APPROVAL

兹证明本证书所述制造厂具备按照下列标准的要求生产本证书所列产品的能力和条件。

This is to certify that the manufacturer stated in the certificate meets the requirements of the standards listed below and is available with the ability and conditions to produce the products described in the certificate.

制造厂/Manufacturer

Autronica Fire and Security AS

地址/Address

Bromstadveien 59, N-7047 Trondheim, Norway

产品名称/Product

固定式探火和失火报警系统部件
Components for Fixed Fire Detection and Alarm System
火灾探测器
Fire Detector

附加标志/Notations

无/Nil.

认可标准/Approval Standard

1. 《1974年国际海上人命安全公约》及其修正案第II-2章, 第7条
Regulations 7, Chapter II -2 of International Convention For The Safety Of Life At Sea, 1974, as Amended
2. 经MSC.339(91)修正的《国际消防安全系统规则》第9章
Chapter 9 of International Code For Fire Safety Systems, as amended by MSC.339(91)
3. 经MSC.311(88)修正的《国际消防安全系统规则》第9章
Chapter 9 of International Code For Fire Safety Systems, as amended by MSC.311(88)

用于/Intended for

船舶与海上设施/Ships and Offshore Installations

证书有效期至/This Certificate is valid until 2023年12月19日/Dec. 19,2023

发证机构/Issued by 中国船级社 卑根办事处
CCS Bergen Office

签发日期/Date 2022年01月04日
Jan. 04,2022

本证书根据中国船级社规范和相关规定签发。所有证书页为一个整体,必须同时使用。纸质证书每页均须由本社盖章方为有效,电子证书含数字签名方为有效。本证书复印件无效。任何单位和个人均不应摘录或节选本证书的部分内容。有关方对所持证书的真实性有疑问时,可以向本社检验机构咨询。This Certificate is issued pursuant to the Rules of the Society and related regulation. All pages of the certificate are taken as a whole and are used simultaneously. No paper certificate page is valid without bearing the stamp of the Society, no electronic certificates are valid without the digital signature, and no copied form of the certificate is regarded as valid. Any part of the certificate is not to be extracted or abridged by any unit or individual in any form. Related parties who are doubted about the authenticity of the certificate may inquire of the Society or its offices.

Form No: T01.

联系方式/Contact Us, 见本社官方网站/See official web site of the Society (<http://www.ccs.org.cn>)



UTN:P021-70721006

产品明细/Product Description**火灾探测器/Fire Detector(M0001)**

名称/Name	属性(值)/Value	单位/Unit
产品名称/Product Name	Multicriteria Protector	
型号/Type	V-430	
外壳防护等级/Degree of Protection of Enclosure	IP44D (IP55 when used with conduit box)	
防爆标志/Explosion-Proof Marking	N.A.	

火灾探测器/Fire Detector(M0002)

名称/Name	属性(值)/Value	单位/Unit
产品名称/Product Name	Multicriteria Protector with sounder	
型号/Type	V-430-S	
外壳防护等级/Degree of Protection of Enclosure	IP44D (IP55 when used with conduit box)	
防爆标志/Explosion-Proof Marking	N.A.	

火灾探测器/Fire Detector(M0003)

名称/Name	属性(值)/Value	单位/Unit
产品名称/Product Name	Multicriteria Protector with white VAD (Visual alarm device)	
型号/Type	V-430-VADW	
外壳防护等级/Degree of Protection of Enclosure	IP44D (IP55 when used with conduit box)	
防爆标志/Explosion-Proof Marking	N.A.	

火灾探测器/Fire Detector(M0004)

名称/Name	属性(值)/Value	单位/Unit
产品名称/Product Name	Multicriteria Protector with red VAD (Visual alarm device)	
型号/Type	V-430-VADR	
外壳防护等级/Degree of Protection of Enclosure	IP44D (IP55 when used with conduit box)	
防爆标志/Explosion-Proof Marking	N.A.	

火灾探测器/Fire Detector(M0005)

名称/Name	属性(值)/Value	单位/Unit
产品名称/Product Name	Multicriteria Protector with sounder and white VAD (Visual alarm device)	
型号/Type	V-430-S-VADW	
外壳防护等级/Degree of Protection of Enclosure	IP44D (IP55 when used with conduit box)	
防爆标志/Explosion-Proof Marking	N.A.	

火灾探测器/Fire Detector(M0006)

名称/Name	属性(值)/Value	单位/Unit
产品名称/Product Name	Multicriteria Protector with sounder and red VAD (Visual alarm device)	
型号/Type	V-430-S-VADR	
外壳防护等级/Degree of Protection of Enclosure	IP44D (IP55 when used with conduit box)	
防爆标志/Explosion-Proof Marking	N.A.	

火灾探测器/Fire Detector(M0007)

名称/Name	属性(值)/Value	单位/Unit
---------	-------------	---------

产品名称/Product Name	Multicriteria Protector with SIL2 approval	
型号/Type	V-530	
外壳防护等级/Degree of Protection of Enclosure	IP44D (IP55 when used with conduit box)	
防爆标志/Explosion-Proof Marking	N.A.	

火灾探测器/Fire Detector(M0008)

名称/Name	属性(值)/Value	单位/Unit
产品名称/Product Name	Multicriteria Protector with SIL2 approval, intrinsically safe for zone 0,1 and 2	
型号/Type	V-530-EXIA	
外壳防护等级/Degree of Protection of Enclosure	IP44D (IP55 when used with conduit box)	
防爆标志/Explosion-Proof Marking	Ex.ia	

火灾探测器/Fire Detector(M0009)

名称/Name	属性(值)/Value	单位/Unit
产品名称/Product Name	Multicriteria Protector with SIL2 approval, intrinsically safe for zone 2	
型号/Type	V-530-EXIC	
外壳防护等级/Degree of Protection of Enclosure	IP44D (IP55 when used with conduit box)	
防爆标志/Explosion-Proof Marking	Ex.ic	

批准的图纸/Approved Drawings

图纸批准号/ Drawings Approval No. : NP21PPP02010

产品认可试验报告/ Approval Test Report

试验报告编号/ Test Report No. : 103874656LHD-025
 试验报告日期/ Test Report Date : 2021-02-18
 试验单位/ Laboratory: Intertek Testing & Certification Ltd.
 试验单位地址/ Test Address: Unit D, Imperial Park, Randalls Way, Leatherhead, Surrey, UK.

试验报告编号/ Test Report No. : 103963397LHD-021
 试验报告日期/ Test Report Date : 2020-11-20
 试验单位/ Laboratory: Intertek Testing & Certification Ltd.
 试验单位地址/ Test Address: Unit D, Imperial Park, Randalls Way, Leatherhead, Surrey, UK.

试验报告编号/ Test Report No. : 103963397LHD-022
 试验报告日期/ Test Report Date : 2020-11-20
 试验单位/ Laboratory: Intertek Testing & Certification Ltd.
 试验单位地址/ Test Address: Unit D, Imperial Park, Randalls Way, Leatherhead, Surrey, UK.

试验报告编号/ Test Report No. : 103874656LHD-021
 试验报告日期/ Test Report Date : 2020-03-20
 试验单位/ Laboratory: Intertek Testing & Certification Ltd.
 试验单位地址/ Test Address: Unit D, Imperial Park, Randalls Way, Leatherhead, Surrey, UK.

试验报告编号/ Test Report No. : 103874656LHD-022
 试验报告日期/ Test Report Date : 2020-03-20
 试验单位/ Laboratory: Intertek Testing & Certification Ltd.
 试验单位地址/ Test Address: Unit D, Imperial Park, Randalls Way, Leatherhead, Surrey, UK.

试验报告编号/ Test Report No. : 103874656LHD-023
 试验报告日期/ Test Report Date : 2020-03-20
 试验单位/ Laboratory: Intertek Testing & Certification Ltd.
 试验单位地址/ Test Address: Unit D, Imperial Park, Randalls Way, Leatherhead, Surrey, UK.

试验报告编号/ Test Report No. : 103874656LHD-024

试验报告日期/ Test Report Date : 2020-03-20

试验单位/ Laboratory: Intertek Testing & Certification Ltd.

试验单位地址/ Test Address: Unit D, Imperial Park, Randalls Way, Leatherhead, Surrey, UK.

认可后的产品检验方式/ Method of Product Inspection after Approval

按规范认可后应进行产品检验的产品/The product should be inspected in term of the rules:

认可后的产品检验应由本社验船师根据本社规范规定按批准的产品检验计划进行检验, 经检验合格后由本社颁发船用产品证书。

After approval, product inspection should be carried out by the Surveyor of the Society in accordance with the approved product inspection scheme, and the Marine Product Certificate will be issued by the Society upon satisfactory inspection.

认可保持条件/ Maintenance Requirements of Approval

1. 型式认可后, 如果产品及其重要零部件的设计、所用材料或制造方法有所改变, 且影响到产品的主要特性、特征; 或产品的性能指标有所更改, 且超过认可的范围, 则有关图纸和文件应经检验机构审批。并在检验机构认为必要时, 经本社检验人员见证有关试验和进行检查, 其结果应能证实仍符合认可条件。

After type approval, if there are changes to the design, materials used or manufacturing method of the product and important components and such changes affect major characteristics and properties of the product, or property indexes of the product are changed and exceed the scope of approval, related drawings and documents are to be examined and approved by the concerned survey office. Where deemed necessary by the survey office, the surveyor to the Society will go to witness relevant tests and conduct inspection and the results should be able to demonstrate compliance with the approval conditions.

2. 工厂的质量管理体系应保持有效运行, 并且与认可时一致。如果质量管理体系发生改变, 应经原体系认证机构审核并报本社批准。

The quality management system of the factory shall be ensure effective operation, and shall be the same as the situation of approval. If there are any changes to the quality management system, auditing of the original certification organization for quality management system and the society's approval shall be obtained.

3. 认可证书有效期内, 如果出现可能导致本社取消认可的情况, 工厂应及时采取有效的纠正措施。

Within the validity of the approval certificate, if cases occur that may cause the Society to withdraw the approval, the manufacturer should take corrective actions in a prompt and effective manner.

4. 在认可证书有效期内, 本社检验人员可在未经事先通知的情况下对工厂的产品制造过程进行审核, 以验证产品的生产是否符合业经本社批准的图纸和文件。工厂应予以配合。

Within the validity of the approval certificate, the surveyor to the Society may pay unannounced audit to the manufacturing process of the product in order to confirm whether it is in compliance with the drawings and documents approved by the Society. The factory should provide an active cooperation and necessary for the surveyor.

5. 如果属于获得型式认可B 模式证书, 且无需颁发船用产品证书/等效证明文件的情况, 证书获得者应接受本社每年一次的定期审核, 定期审核日为认可证书期满之日对应的每一周年日, 检查工作应在周年日的前后三个月内进行。

If belong to the situation of the product has type approval mode B certificate, and marine product certificate/equivalent document is not necessary, those who have obtained the certificate should be subject to periodical audit every year. The date of periodical audit shall be each anniversary date which corresponds to the date of expiry of the relevant certificate and the periodical audit shall be done within a time span of three months before and after the annual surveillance date.

备注/Remarks

I. The Ex-Proof parameters of the approved products originate from Ex-Certificate provided from manufacturer (Issuing Body: DNV, Ex-Certificate No.: DNV 21 ATEX 14779X, Standards for Ex-Proof: EN IEC 60079-0: 2018 and EN 679-11: 2012). This type approval certification will be invalid if the approved products don't hold valid Ex-Certificate.

II. V-430 is available with option for Cover Detection & SelfVerify (option/ CD), tested with base V-100.

III. Ex.ia/Ex.ic for V-530 series is available with option for High Sensitivity (Option/ HS), Tested with base V-110 and V-120.

IV. 本社已审核了产品厂无石棉声明, 但本社的审核不免除产品厂按照合同关系向订货方保证产品无石棉的责任。The declaration of asbestos-free submitted by manufacturer has been reviewed by the Society. However, liability of the manufacturer to guarantee the products are asbestos-free to purchaser under contract will not be exempted.

V. 本证书基于原型式认可证书 (No. BG19PTB00026) 变更, 原证书保持有效。

This Certificate is modified from the previous Type Approval Certificate No. BG19PTB00026, the previous certificate remains valid.

中国船级社卑尔根办事处
CCS Bergen Office

VIEW ONLY

